

“/”应用程序中的服务器错误。

Could not load file or assembly 'HKI' or one of its dependencies. 另一个程序正在使用此文件，进程无法访问。 (Exception from HRESULT: 0x80070020)

说明：执行当前 Web 请求期间，出现未经处理的异常。请检查堆栈跟踪信息，以了解有关该错误以及代码中导致错误的出处的详细信息。

异常详细信息：System.IO.FileLoadException: Could not load file or assembly 'HKI' or one of its dependencies. 另一个程序正在使用此文件，进程无法访问。 (Exception from HRESULT: 0x80070020)

源错误：

执行当前 Web 请求期间生成了未经处理的异常。可以使用下面的异常堆栈跟踪信息确定有关异常原因和发生位置的信息。

程序集加载跟踪：下列信息有助于确定程序集“HKI”未能加载的原因。

```
WRN: Assembly binding logging is
turned OFF.
To enable assembly bind failure
logging, set the registry value
[HKLM\Software\Microsoft\Fusion!Ena
bleLog] (DWORD) to 1.
Note: There is some performance
penalty associated with assembly
bind failure logging.
To turn this feature off, remove
the registry value
[HKLM\Software\Microsoft\Fusion!Ena
bleLog].
```

堆栈跟踪：

```
[FileLoadException: Could not load
file or assembly 'HKI' or one of
its dependencies. 另一个程序正在使用
此文件，进程无法访问。 (Exception
from HRESULT: 0x80070020)]
```

```
System.Reflection.RuntimeAssembly._
nLoad(AssemblyName fileName, String
codeBase, Evidence
assemblySecurity, RuntimeAssembly
locationHint, StackCrawlMark&
stackMark, IntPtr pPrivHostBinder,
Boolean throwOnFileNotFound,
Boolean forIntrospection, Boolean
suppressSecurityChecks) +0
```

```
System.Reflection.RuntimeAssembly.n
Load(AssemblyName fileName, String
codeBase, Evidence
assemblySecurity, RuntimeAssembly
locationHint, StackCrawlMark&
stackMark, IntPtr pPrivHostBinder,
Boolean throwOnFileNotFound,
Boolean forIntrospection, Boolean
suppressSecurityChecks) +36
```

```
System.Reflection.RuntimeAssembly.I
nternalLoadAssemblyName(AssemblyNam
e assemblyRef, Evidence
assemblySecurity, RuntimeAssembly
reqAssembly, StackCrawlMark&
stackMark, IntPtr pPrivHostBinder,
Boolean throwOnFileNotFound,
Boolean forIntrospection, Boolean
suppressSecurityChecks) +152
```

```
System.Reflection.RuntimeAssembly.I
nternalLoad(String assemblyString,
```

Evidence assemblySecurity,
StackCrawlMark& stackMark, IntPtr
pPrivHostBinder, Boolean
forIntrospection) +77

System.Reflection.RuntimeAssembly.I
nternalLoad(String assemblyString,
Evidence assemblySecurity,
StackCrawlMark& stackMark, Boolean
forIntrospection) +21

System.Reflection.Assembly.Load(Str
ing assemblyString) +28

System.Web.Configuration.Compilatio
nSection.LoadAssemblyHelper(String
assemblyName, Boolean
starDirective) +38

[ConfigurationErrorsException:
Could not load file or assembly
'HKI' or one of its dependencies.
另一个程序正在使用此文件，进程无法访
问。(Exception from HRESULT:
0x80070020)]

System.Web.Configuration.Compilatio
nSection.LoadAssemblyHelper(String
assemblyName, Boolean
starDirective) +738

System.Web.Configuration.Compilatio
nSection.LoadAllAssembliesFromAppDo
mainBinDirectory() +217

System.Web.Configuration.Compilatio
nSection.LoadAssembly(AssemblyInfo
ai) +130

System.Web.Compilation.BuildManager
.GetReferencedAssemblies(Compilatio
nSection compConfig) +170

System.Web.Compilation.BuildManager
.GetPreStartInitMethodsFromReferenc
edAssemblies() +92

System.Web.Compilation.BuildManager
.CallPreStartInitMethods(String
preStartInitListPath, Boolean&
isRefAssemblyLoaded) +290

System.Web.Compilation.BuildManager
.ExecutePreAppStart() +157

System.Web.Hosting.HostingEnvironme
nt.Initialize(ApplicationManager
appManager, IApplicationHost
appHost, IConfigMapPathFactory
configMapPathFactory,
HostingEnvironmentParameters
hostingParameters, PolicyLevel
policyLevel, Exception
appDomainCreationException) +549

[HttpException (0x80004005): Could
not load file or assembly 'HKI' or
one of its dependencies. 另一个程序
正在使用此文件，进程无法访问。
(Exception from HRESULT:
0x80070020)]

System.Web.HttpRuntime.FirstRequest

```
Init(HttpContext context) +10080444
```

```
System.Web.HttpRuntime.EnsureFirstRequestInit(HttpContext context) +95
```

```
System.Web.HttpRuntime.ProcessRequestNotificationPrivate(IIS7WorkerRequest wr, HttpContext context) +254
```